

carTeck®


New Side Hinged Doors!

Sectional Garage Doors GSW 40-L

Side Hinged Doors GSW 40-L



40 mm
Extremely robust and highly insulating



Price List May 2011

WE OPEN THE DOORS FOR PROGRESS





Sectional Garage Doors GSW 40-L

Georgian

Standard Widths

Standard Heights

Intermediate height or width or combination:
Next size + £120

| | | | | | | | | | | | | | | | | | | |
|-------|------|------|------|-------|------|------|------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
| 2084 | 2134 | 2235 | 2286 | 2388 | 2438 | 2591 | 2743 | 3048 | 3353 | 3658 | 3962 | 4216 | 4267 | 4420 | 4572 | 4877 | 5182 | 5500 |
| 6'10" | 7'0" | 7'4" | 7'6" | 7'10" | 8'0" | 8'6" | 9'0" | 10'0" | 11'0" | 12'0" | 13'0" | 13'10" | 14'0" | 14'6" | 15'0" | 16'0" | 17'0" | 18'0" |

Ordering Notes:

Door heights achieved by mixing panel heights (except ribbed) use of 0, 9, 17, or 32mm bottom profiles or top panel cut downs.

When ordering use metric sizes, imperial conversions are nominal.

Delivery:
To company premises FOC.
To site £60 nett.
To Highlands and Islands on application.

Prices £'s Sterling.

Prices exclude VAT at the prevailing rate.

E&OE.

Lead Time Guidance

Georgian:

1-2 weeks

Georgian Woodgrain White
Georgian Golden Oak*
Georgian Rosewood*

*Size limitations apply, please contact the Sales Office.

4-6 weeks

Georgian Dark Oak
All Trend Colours

+1 week

For RAL Colours please add 1 week to the standard lead times above



| | | | | | | | | | | | | | | | | | | | | | | | |
|------------|-----------|------------|-----------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 4 Sections | 1875 6'2" | 2050 6'9" | 2175 7'2" | White | 1039 | 1039 | 1113 | 1113 | 1145 | 1145 | 1225 | 1344 | 1462 | 1581 | 1700 | 1818 | 1765 | 1659 | 1871 | 1919 | 1983 | 2101 | 2481 |
| | 1925 6'4" | 2084 6'10" | 2204 7'3" | Trend | 1140 | 1140 | 1223 | 1223 | 1254 | 1254 | 1345 | 1475 | 1605 | 1736 | 1866 | 1996 | 2126 | 1946 | 2094 | 2142 | 2272 | 2402 | 2631 |
| | 2000 6'6" | 2125 7'0" | 2250 7'4" | RAL | 1418 | 1418 | 1516 | 1516 | 1554 | 1554 | 1662 | 1817 | 1973 | 2129 | 2285 | 2441 | 2597 | 2385 | 2539 | 2700 | 2856 | 3012 | 3276 |
| | | | | Wood Design | 1288 | 1288 | 1459 | 1459 | 1479 | 1479 | 1566 | 1615 | 1742 | 2062 | 2189 | 2317 | 2295 | 2189 | 2507 | 2619 | 2772 | 2926 | 3207 |

| | | | | | | | | | | | | | | | | | | | | | | |
|------------|-----------|-----------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 5 Sections | 2375 7'9" | 2750 9'0" | White | 1389 | 1389 | 1488 | 1488 | 1530 | 1530 | 1634 | 1792 | 1950 | 2108 | 2266 | 2323 | 2380 | 2437 | 2495 | 2556 | 2640 | 2798 | 3096 |
| | 2500 8'2" | | Trend | 1571 | 1571 | 1682 | 1682 | 1729 | 1729 | 1846 | 2023 | 2201 | 2379 | 2556 | 2621 | 2685 | 2749 | 2814 | 2882 | 2977 | 3155 | 3530 |
| | 2625 8'9" | | RAL | 1722 | 1722 | 1845 | 1845 | 1893 | 1893 | 2025 | 2220 | 2415 | 2609 | 2804 | 2999 | 3195 | 2930 | 3122 | 3322 | 3517 | 3712 | 4150 |
| | | | Wood Design | 1721 | 1721 | 1947 | 1947 | 1974 | 1974 | 2088 | 2153 | 2322 | 2584 | 2743 | 2902 | 2968 | 3054 | 3141 | 3279 | 3471 | 3663 | 4023 |

| | | | | | | | | | | | | | | | | | | | | | | |
|------------|-----------|--|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|
| 6 Sections | 2875 9'5" | | White | 1851 | 1851 | 1982 | 1982 | 2039 | 2039 | 2175 | 2385 | 2595 | 2805 | 3015 | 3091 | 3167 | 3244 | 3320 | 3399 | 3477 | 3562 | |
| | 3000 9'9" | | Trend | 2089 | 2089 | 2237 | 2237 | 2300 | 2300 | 2453 | 2689 | 2925 | 3162 | 3398 | 3484 | 3569 | 3655 | 3741 | 3829 | 3897 | 3981 | |
| | | | RAL | 2333 | 2333 | 2481 | 2481 | 2538 | 2538 | 2696 | 2930 | 3164 | 3397 | 3631 | 3865 | 4100 | 3782 | 4013 | 4252 | 4357 | 4441 | |
| | | | Wood Design | 2292 | 2292 | 2594 | 2594 | 2629 | 2629 | 2779 | 2865 | 2907 | 3234 | 3433 | 3632 | 3714 | 3822 | 3930 | 4101 | 4145 | 4242 | |

Extra Fittings

| | | | | | | | | | | | | | | | | | | | | | |
|-------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| Maximum Height mm | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 2875 | 2875 | 2500 |
| Number of windows | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 7 |

| | | | | | | | | | | | | | | | | | | | | |
|--|--------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Polyurethane Windows (including those fitted vertically down the door - round polyurethane or square type 1 & 2. Match windows to number of sections ie 4 sections = 4 windows) | White | 287 | 287 | 287 | 287 | 287 | 287 | 287 | 287 | 382 | 382 | 382 | 477 | 477 | 477 | 477 | 477 | 573 | 573 | 668 |
| | Trend | 379 | 379 | 379 | 379 | 379 | 379 | 379 | 379 | 505 | 505 | 505 | 631 | 631 | 631 | 631 | 631 | 757 | 757 | 883 |
| | RAL | 379 | 379 | 379 | 379 | 379 | 379 | 379 | 379 | 505 | 505 | 505 | 631 | 631 | 631 | 631 | 631 | 757 | 757 | 883 |
| | *Wood Design | 379 | 379 | 379 | 379 | 379 | 379 | 379 | 379 | 505 | 505 | 505 | 631 | 631 | 631 | 631 | 631 | 757 | 757 | 883 |

| | | | | | | | | | | | | | | | | | | | | | |
|---|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Frame Head / Fascia Dressing Kit Frame legs & head are smooth & white as standard. | White | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a |
| | Trend | 78 | 80 | 83 | 85 | 89 | 91 | 97 | 102 | 114 | 125 | 136 | 147 | 157 | 159 | 164 | 170 | 176 | 181 | 205 | |
| | RAL | 115 | 118 | 124 | 127 | 132 | 135 | 143 | 152 | 169 | 185 | 202 | 219 | 233 | 236 | 244 | 253 | 261 | 269 | 304 | |
| | Wood Design | 77 | 78 | 82 | 83 | 86 | 88 | 96 | 101 | 112 | 121 | 132 | 143 | 151 | 153 | 157 | 166 | 171 | 176 | 198 | |

| | | |
|---|-------------|-----|
| Frame Leg Dressing Kit (Pair) 48mm Frame legs & head are smooth & white as standard. | White | n/a |
| | Trend | 53 |
| | RAL | 96 |
| | Wood Design | 69 |


| | | |
|---|-------------|-----|
| Frame Leg Dressing Kit (Pair) 85mm Frame legs & head are smooth & white as standard. | White | 75 |
| | Trend | 85 |
| | RAL | 149 |
| | Wood Design | 91 |

* Wood Design windows are finished in a complimentary flat colour for Golden Oak (RAL8003), Rosewood (RAL8016) and Dark Oak (RAL8014).


Trend Colours

| | | | |
|--------------------------|-----------------------------|-----------------------------|--|
| Flame Red RAL 3000 | Fir Green RAL 6009 | Window Grey RAL 7040 | Sepia Brown RAL 8014 |
| Gentian Blue RAL 5011 | Anthracite Grey RAL 7016 | White Aluminium RAL 9006 | Cream RAL 9001 |
| Moss Green RAL 6005 | Light Grey RAL 7035 | Grey Aluminium RAL 9007 | TT 703 A special satin metallic effect - grey with micaceous iron ore particles. |






Standard Ribbed



Centre Ribbed



Solid

Standard Widths

| | | | | | | | | | | | | | | | | | | | |
|--|-------|------|------|------|-------|------|------|------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
| Intermediate height or width or combination: Next size + £120 | 2084 | 2134 | 2235 | 2286 | 2388 | 2438 | 2591 | 2743 | 3048 | 3353 | 3658 | 3962 | 4216 | 4267 | 4420 | 4572 | 4877 | 5182 | 5500 |
| | 6'10" | 7'0" | 7'4" | 7'6" | 7'10" | 8'0" | 8'6" | 9'0" | 10'0" | 11'0" | 12'0" | 13'0" | 13'10" | 14'0" | 14'6" | 15'0" | 16'0" | 17'0" | 18'0" |

Standard Heights

Lead Time Guidance
Ribbed & Solid:
1-2 weeks

| | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------|-----------|-------------|-----------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 4 Sections | 1875 6'2" | 2050 6'9" | 2175 7'2" | White | 1022 | 1022 | 1024 | 1024 | 1088 | 1088 | 1175 | 1281 | 1387 | 1493 | 1599 | 1705 | 1739 | 1633 | 1739 | 1850 | 1956 | 2062 | 2274 |
| | 1925 6'4" | 2084 6'10" | 2204 7'3" | Trend | 1124 | 1124 | 1135 | 1135 | 1198 | 1198 | 1289 | 1404 | 1518 | 1633 | 1747 | 1862 | 1976 | 1983 | 2030 | 2150 | 2265 | 2379 | 2608 |
| | 2000 6'6" | 2125 7'0" | 2250 7'4" | RAL | 1354 | 1354 | 1363 | 1363 | 1442 | 1442 | 1553 | 1692 | 1831 | 1970 | 2109 | 2248 | 2387 | 2385 | 2444 | 2588 | 2727 | 2866 | 3143 |
| | | | | Wood Design | 1135 | 1135 | 1177 | 1177 | 1210 | 1210 | 1298 | 1430 | 1563 | 1695 | 1828 | 1960 | 2115 | 2004 | 2115 | 2216 | 2311 | 2407 | 2597 |
| 5 Sections | 2375 7'9" | 2750 9'0" | White | 1367 | 1367 | 1369 | 1369 | 1454 | 1454 | 1568 | 1709 | 1850 | 1991 | 2132 | 2273 | 2319 | 2366 | 2413 | 2464 | 2605 | 2746 | 3053 | |
| | 2500 8'2" | Trend | 1545 | 1545 | 1549 | 1549 | 1644 | 1644 | 1771 | 1930 | 2088 | 2247 | 2406 | 2564 | 2617 | 2669 | 2722 | 2779 | 2937 | 3096 | 3435 | | |
| | 2625 8'9" | RAL | 1695 | 1695 | 1706 | 1706 | 1805 | 1805 | 1943 | 2117 | 2290 | 2464 | 2637 | 2811 | 2984 | 2983 | 3056 | 3235 | 3408 | 3582 | 3965 | | |
| | | Wood Design | 1516 | 1516 | 1572 | 1572 | 1616 | 1616 | 1731 | 1908 | 2084 | 2260 | 2436 | 2613 | 2696 | 2780 | 2864 | 2951 | 3077 | 3204 | 3477 | | |
| 6 Sections | 2875 9'5" | White | 1821 | 1821 | 1825 | 1825 | 1937 | 1937 | 2087 | 2275 | 2462 | 2650 | 2837 | 3025 | 3087 | 3149 | 3211 | 3277 | 3355 | 3431 | | | |
| | 3000 9'9" | Trend | 2055 | 2055 | 2059 | 2059 | 2186 | 2186 | 2354 | 2565 | 2776 | 2987 | 3198 | 3408 | 3478 | 3548 | 3618 | 3692 | 3775 | 3850 | | | |
| | | RAL | 2301 | 2301 | 2314 | 2314 | 2433 | 2433 | 2597 | 2806 | 3014 | 3222 | 3431 | 3639 | 3847 | 3846 | 3933 | 4147 | 4235 | 4310 | | | |
| | | Wood Design | 2020 | 2020 | 2095 | 2095 | 2153 | 2153 | 2305 | 2539 | 2773 | 3008 | 3242 | 3476 | 3588 | 3699 | 3811 | 3924 | 4023 | 4111 | | | |

Standard Ribbed Woodgrain
Standard Ribbed Golden Oak
Standard Ribbed Rosewood
Standard Ribbed Dark Oak

Centre Ribbed Woodgrain
Centre Ribbed Smooth
Centre Ribbed Golden Oak
Centre Ribbed Rosewood

Solid Smooth

4-6 weeks all ex-Germany
Standard Ribbed Smooth
Standard Ribbed Stucco
Standard Ribbed Micro Profile

Centre Ribbed Dark Oak
Centre Ribbed Stucco
Centre Ribbed Micro Profile

Solid Woodgrain
Solid Stucco
Solid Micro Profile

All Trend colours

+1 week
For RAL Colours please add
1 week to the standard lead
times above

| | | | | | | | | | | | | | | | | | | | | |
|-------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| Maximum Height mm | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 2875 | 2875 | 2500 |
| Number of windows | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 7 |

Extra Fittings

| | | | | | | | | | | | | | | | | | | | | |
|---|--------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Polyurethane Windows (including those fitted vertically down the door - round polyurethane or square type 1 & 2. Match windows to number of sections ie 4 sections = 4 windows) | White | 287 | 287 | 287 | 287 | 287 | 287 | 287 | 287 | 382 | 382 | 382 | 477 | 477 | 477 | 477 | 477 | 573 | 573 | 668 |
| | Trend | 379 | 379 | 379 | 379 | 379 | 379 | 379 | 379 | 505 | 505 | 505 | 631 | 631 | 631 | 631 | 631 | 757 | 757 | 883 |
| | RAL | 379 | 379 | 379 | 379 | 379 | 379 | 379 | 379 | 505 | 505 | 505 | 631 | 631 | 631 | 631 | 631 | 757 | 757 | 883 |
| | *Wood Design | 379 | 379 | 379 | 379 | 379 | 379 | 379 | 379 | 505 | 505 | 505 | 631 | 631 | 631 | 631 | 631 | 757 | 757 | 883 |

| | | | | | | | | | | | | | | | | | | | | |
|--|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Frame Head / Fascia Dressing Kit Frame legs & head are smooth & white as standard. | White | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a |
| | Trend | 78 | 80 | 83 | 85 | 89 | 91 | 97 | 102 | 114 | 125 | 136 | 147 | 157 | 159 | 164 | 170 | 176 | 181 | 205 |
| | RAL | 115 | 118 | 124 | 127 | 132 | 135 | 143 | 152 | 169 | 185 | 202 | 219 | 233 | 236 | 244 | 253 | 261 | 269 | 304 |
| | Wood Design | 77 | 78 | 82 | 83 | 86 | 88 | 96 | 101 | 112 | 121 | 132 | 143 | 151 | 153 | 157 | 166 | 171 | 176 | 198 |

| | | |
|--|-------------|-----|
| Frame Leg Dressing Kit (Pair) 48mm Frame legs & head are smooth & white as standard. | White | n/a |
| | Trend | 53 |
| | RAL | 96 |
| | Wood Design | 69 |

| | | |
|--|-------------|-----|
| Frame Leg Dressing Kit (Pair) 85mm Frame legs & head are smooth & white as standard. | White | 75 |
| | Trend | 85 |
| | RAL | 149 |
| | Wood Design | 91 |

*Wood Design windows are finished in a complimentary flat colour for Golden Oak (RAL8003), Rosewood (RAL8016) and Dark Oak (RAL8014).

Other Popular Accessories

| | |
|--|--------|
| External release to suit CarTeck | 53 ea |
| Manual locking including detent (factory prepared) | 98 ea |
| Manual locking including detent (onsite with template) | 48 ea |
| Stainless steel round windows | 446 ea |
| Between the reveal fitting kit | 53 ea |
| (When using a between the reveal fitting kit, the sideroom required is 85mm) | |

Electric Motors

| | | | |
|---|-----|-------|--------|
| Kevlar Belt | 11 | 12 | 13 |
| 220.2 | 417 | 472 | 543 |
| 250.2 | 453 | 509 | 579 |
| 250.2 speed | 565 | 602 | 713 |
| 252.0 | 568 | 624 | 696 |
| | £ | Max W | *Max H |
| DUO 500 | 351 | 3500 | 3150 |
| DUO 650 | 403 | 5000 | 3150 |
| DUO 800 | 536 | 5500 | 3150 |
| | | | 13 |
| *DUO 2600mm travel Rtd. Rail extension 1600 £75 | | | |



For details of additional options and further details on the above visit www.teckentrupdepot.co.uk/spares



